

AQUA ACCESSOIRIES WATERTANKS

1



WTA16/30

Watertank : 30 L, white, with tap, flow-indicator, female connection, 3 or 5m PVC tube, lid opening 80 mm.

Special features (see image below) :

- Reinforced bottom side

- Reinforced threaded tap connection (20mm depth)

WTA60-2

Watertank : 60 L, white, with tap, flow-indicator, female connection, 3 or 5m PVC tube.




Special features (see image below) :

- 2 lid openings DIN 61
- Reinforced bottom side

- Reinforced threaded tap connection (20mm depth)

_



More assembled watertanks available on request. Please contact our office.

VANDAPOWER byba

Lange Ambachtstraat 16 9860 Oosterzele • Belgium

www.vandapower.com

info@vandapower.com

Tel. +32 9 362 91 33 Fax +32 9 362 91 35



WTA30SUPP : support for watertank 30 L

WTA30-60SUPP : support for watertank 30 L and 60 L





WTA<u>15</u>GV3, WTA....GV3, WTA<u>500</u>GV3

Strong watertank.

2

Available in 15, 30, 50, 80, 100, 125, 150, 200, 300, 500 L.

All tanks available with female connection, 3m PVC tube, flow-indicator and valve.

VANDAPOWER byba

Lange Ambachtstraat 16 9860 Oosterzele • Belgium

www.vandapower.com

info@vandapower.com

Tel. +32 9 362 91 33 Fax +32 9 362 91 35



WTA60FLOAT





VANDAPOWER byba

Lange Ambachtstraat 16 9860 Oosterzele • Belgium

www.vandapower.com

info@vandapower.com

Tel. +32 9 362 91 33 Fax +32 9 362 91 35